



business solutions

System 2200/Clearpath SITE PROFILE WORKSHEET

Date: \_\_\_\_\_

Company Name: \_\_\_\_\_

Tel: \_\_\_\_\_

Address: \_\_\_\_\_

FAX: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Completed by: \_\_\_\_\_

\_\_\_\_\_

**HARDWARE**

1100/2200 Model \_\_\_\_\_ OS Release level: \_\_\_\_\_ SB Release level : \_\_\_\_\_

CPU Utilization: \_\_\_\_\_%

Additional Mainframes: \_\_\_\_\_

Tape systems: 1600 BPI \_\_\_\_\_ 6250 BPI \_\_\_\_\_ Cartridge: \_\_\_\_\_

Disks Subsystems 8480 \_\_\_\_\_ 8494 \_\_\_\_\_ 9720 \_\_\_\_\_ 9493 \_\_\_\_\_ 9493H \_\_\_\_\_  
9760 \_\_\_\_\_ 9494 \_\_\_\_\_ OTHER \_\_\_\_\_

**Total tracks in use:** \_\_\_\_\_ **Total tracks available:** \_\_\_\_\_

Number of Comm lines: \_\_\_\_\_ DCP: \_\_\_\_\_ Number of terminals: \_\_\_\_\_ PCs: \_\_\_\_\_

UTS Emulation (ICC/PEP/STEP): \_\_\_\_\_ Number of LANs: \_\_\_\_\_ Type: \_\_\_\_\_  
\_\_\_\_\_

Communication interfaces to other mainframes, specify type and protocol:

\_\_\_\_\_

\_\_\_\_\_



business solutions

**SOFTWARE ENVIRONMENT**

**Online systems:**

**Transactions per second:** \_\_\_\_\_

TIP programs:	COBOL: _____	Lines of code: _____
	RPG: _____	Lines of code: _____
	Other: _____	Lines of code: _____

KONS Usage (Y/N) \_\_\_\_\_ FCSS Files (Y/N) \_\_\_\_\_ HVTIP (Y/N): \_\_\_\_\_

**Total: TIP Programs: \_\_\_\_\_ Lines of code: \_\_\_\_\_**

IMS programs:	COBOL: _____	Lines of code: _____
	RPG: _____	Lines of code: _____
	Other: _____	Lines of code: _____

**Total: IMS Programs: \_\_\_\_\_ Lines of code: \_\_\_\_\_**

Subroutines:	COBOL: _____	Lines of code: _____
	MASM: _____	Lines of code: _____
	Other: _____	Lines of code: _____

**Total: Subroutines: \_\_\_\_\_ Lines of code: \_\_\_\_\_**

Screens:      DPS : \_\_\_\_\_      Hard-Coded: \_\_\_\_\_      **Total screens: \_\_\_\_\_**

Is UNIQUE used? \_\_\_\_\_ If "YES", number of UNIQUE programs: \_\_\_\_\_

Is MAPPER used ? \_\_\_\_\_ If "YES", number of MAPPER runs: \_\_\_\_\_

Packages: (ie. CIS, UNIS ): \_\_\_\_\_



business solutions

**Batch:**

Programs:

COBOL 68: \_\_\_\_\_ Lines of code: \_\_\_\_\_ # using Report Writer feature: \_\_\_\_\_  
 COBOL 74: \_\_\_\_\_ Lines of code: \_\_\_\_\_ # using Report Writer feature: \_\_\_\_\_  
 COBOL 85: \_\_\_\_\_ Lines of code: \_\_\_\_\_ # using Report Writer feature: \_\_\_\_\_  
 RPG: \_\_\_\_\_ Lines of code: \_\_\_\_\_  
 MASM: \_\_\_\_\_ Lines of code: \_\_\_\_\_  
 Other: \_\_\_\_\_ Lines of code: \_\_\_\_\_

**Total: Batch programs: \_\_\_\_\_ Lines of code: \_\_\_\_\_**

Subroutines: COBOL: \_\_\_\_\_ Lines of code: \_\_\_\_\_  
 MASM: \_\_\_\_\_ Lines of code: \_\_\_\_\_  
 Other: \_\_\_\_\_ Lines of code: \_\_\_\_\_

**Total: Subroutines: \_\_\_\_\_ Lines of code: \_\_\_\_\_**

Job Control: ECL Streams: \_\_\_\_\_ SSG: \_\_\_\_\_

Locally-installed Processors called by their own ECL Command (Y/N): \_\_\_\_\_ How many: \_\_\_\_\_

Describe the function of each: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



business solutions

**Files:**

MSAM: \_\_\_\_\_ ISAM: \_\_\_\_\_ MAPPER: \_\_\_\_\_  
SDF Sequential: \_\_\_\_\_ Other: \_\_\_\_\_

**Number of files used online:** \_\_\_\_\_

DATABASE: \_\_\_\_\_  
# schemas: \_\_\_\_\_ # sub-schemas: \_\_\_\_\_  
# areas: \_\_\_\_\_ # records: \_\_\_\_\_ # sets: \_\_\_\_\_

IQU Used (Y/N): \_\_\_\_\_ LOUIS II Used (Y/N): \_\_\_\_\_

Do you have "COPYBOOK" (Proc) descriptions of your Data Files (Y/N): \_\_\_\_\_ what %: \_\_\_\_\_

Do you use PIC 1 (Y/N): \_\_\_\_\_

Do you use "FIELDATA" (DISP-1, COMP-1) in your files (Y/N): \_\_\_\_\_

Do you have "unload/reload" programs for each record type stored in your database?  
(Y/N) \_\_\_\_\_

Please state the **number of record types** handled by each of the following tools:

UNLOADS/RELOADS

COBOL: \_\_\_\_\_ + IQU: \_\_\_\_\_ + DRU: \_\_\_\_\_ + OTHER: \_\_\_\_\_ + DO NOT EXIST FOR: \_\_\_\_\_ =

TOTAL: \_\_\_\_\_

(Please Specify)

(Must match records)